

The Optical Gravitational Lensing Experiment. Variable Stars in Star Clusters of the Magellanic Clouds. I. Eclipsing Systems in the Clusters of the SMC*

G. Pietrzyński, and A. Udalski

Warsaw University Observatory, Al. Ujazdowskie 4, 00-478 Warszawa,
Poland

e-mail: (pietrzyn,udalski)sirius.astrouw.edu.pl

ABSTRACT

The list of 127 eclipsing stars in optical coincidence with star clusters from the SMC is presented. It was prepared using the catalogs of eclipsing systems and star clusters from the SMC based on observations collected during the OGLE-II microlensing project.

Location of 12 eclipsing stars in the color-magnitude diagram of clusters allows to exclude their membership. Photometric data of 73 systems support their membership. The remaining 42 objects were found in loose, faint clusters and therefore no conclusive statement about their membership can be made. All presented data are available from the OGLE archive.

1 Introduction

Both binary eclipsing stars and star clusters are known as a very important source of information concerning fundamental problems of stellar astrophysics. Binary stars provide opportunity to derive basic stellar parameters such as dimensions, masses, distances and stellar composition. Observations of such stars allow for empirical test of stellar evolution models. Comprehensive discussion of these topics can be found in Andersen (1991).

Binary stars located in star clusters are especially well suited for many detailed studies of stellar evolution and dynamics. They may provide independent information on cluster distance, age, chemical composition, interstellar absorption and formation environment. Observations of binary systems in clusters help in studies of differential star formation, anomalies

*Based on observations obtained with the 1.3 m Warsaw telescope at the Las Campanas Observatory of the Carnegie Institution of Washington.

in the initial composition and the role of these stars in the dynamical evolution of star clusters. Moreover, analysis of distribution of binary stars in clusters may help in better understanding their formation and evolution.

An extensive list of binary stars in optical coincidence with galactic open clusters was provided by Gimenez and Clausen (1996). Unfortunately, no such catalogs exist for clusters from other galaxies, in particular the SMC. Only sporadic information about binary stars located in the SMC star clusters can be found in the literature (Hodge and Wright 1975, Sebo and Wood 1994).

The main goal of this paper is to provide for further detailed studies a list of eclipsing systems detected during the OGLE-II microlensing search and located in vicinity of star clusters. In the next section the observational material and used catalogs are described. The resulting list of 127 eclipsing systems from clusters of the SMC is presented in Section 3.

2 Observations

All photometric data were obtained with the 1.3 m Warsaw telescope located at the Las Campanas Observatory, Chile, which is operated by the Carnegie Institution of Washington. Detailed description of the instrumental system and reduction techniques were presented by Udalski, Kubiak and Szymański (1997). Udalski *et al.* (1998a) published the *BVI*-maps of the Small Magellanic Cloud. These maps contain precise photometric data for about 2.2 million stars from the central region of the SMC bar. Using these data the catalog of 238 star clusters was constructed by Pietrzyński *et al.* (1998). Udalski *et al.* (1998b) presented the sample of 1459 eclipsing binary stars from the observed region of the SMC. This catalog contains objects brighter than 20 mag in the *I*-band with periods ranging from about 0.3 to 250 days. Its average completeness is about 80%.

3 Eclipsing Stars in the SMC Clusters

The catalogs of star clusters and eclipsing systems described in the previous Section make it possible to select eclipsing binary stars that are located close to the star clusters. We searched for eclipsing systems located at the distance smaller than 1.5 radius of a given cluster (Pietrzyński *et al.* 1998). Altogether 124 objects passed this criterium. This group was extended by 3 eclipsing stars from the region of NGC 346. This cluster is situated at the

edge of the observed field and it was not included in the catalog of clusters from the SMC (Pietrzyński *et al.* 1998). However, all three eclipsing stars were found to be in the region of the cluster and we decided to include them to our list. Resulting list comprises 127 objects. Their description and most important data are given in Table 1.

First column of Table 1 contains cluster name. Star ID number and distance from the cluster center, D , measured in units of cluster radius are presented in columns 2 and 3. Period in days, zero epoch corresponding to the deeper eclipse, I -band magnitude and $B - V$ and $V - I$ colors extracted from the catalog of eclipsing systems (Udalski *et al.* 1998b) are listed in columns 4, 5, 6, 7 and 8.

Based on location of each eclipsing star in the color-magnitude diagram (CMD) of the appropriate cluster preliminary classification was made. 85 eclipsing variable stars are located in the vicinity of relatively populous clusters. Position of 12 of them in the CMD allows to exclude their membership. They were classified as non-members (nm). Location of 73 systems in the CMDs of these clusters is consistent with their membership. These stars were designed as probable members (pm). The remaining 42 eclipsing systems are found around poorly populated clusters and no conclusive statements about their membership can be made. Information about cluster membership of eclipsing systems is given in column 9 of Table 1.

Figs. 1 and 2 present distribution of periods of eclipsing binary stars from clusters (those classified as probable members) and those from the field of the SMC. Similar shape of these distributions suggests common processes of formation and disruption of eclipsing stars located in the field and clusters of the SMC.

4 Summary

OGLE-II catalogs of eclipsing systems and star clusters from the regions covering about 2.4 square degree of the central parts of the SMC were used for selection of eclipsing systems located in star clusters. 127 eclipsing stars were found within 1.5 cluster radii. Based on their position in the cluster CMDs the preliminary classification was made. 73 and 12 eclipsing systems were labeled as probable members and non-members, respectively. Our photometric data do not allow to obtain information on membership of the remaining 42 objects. Distribution of periods of eclipsing stars from star clusters and field objects of the SMC are similar which may suggest similar

Table 1
Eclipsing systems in clusters from the SMC

Name OGLE-CL-	star number	D [R_{CL}]	P [days]	JD [2450000+]	I [mag]	$B-V$ [mag]	$V-I$ [mag]	comments
SMC0003	58960	0.914	5.12291	628.65562	16.710	-0.063	-0.007	nm
SMC0013	79559	1.068	41.65820	629.73121	16.640	0.931	1.118	nm
SMC0014	84947	0.788	0.70806	626.28625	17.942	-0.118	-0.029	-
SMC0016	28139	1.029	21.24938	638.79046	17.044	0.199	0.388	nm
SMC0017	63551	0.622	2.96915	627.65183	16.709	-0.042	-0.028	pm
SMC0018	63551	0.050	2.96915	627.65183	16.709	-0.042	-0.028	pm
SMC0026	193411	0.609	28.41870	637.74818	17.197	0.195	0.555	pm
SMC0026	193413	0.222	0.76458	627.10658	17.013	-0.001	0.124	-
SMC0026	193416	0.115	0.90088	626.33819	16.706	-0.127	-0.053	-
SMC0026	194000	0.525	0.65031	626.87302	18.635	-0.058	0.042	-
SMC0030	26565	0.688	4.05740	637.99373	17.917	0.103	0.302	-
SMC0032	3419	0.901	1.35351	629.08725	18.743	-0.027	0.110	pm
SMC0034	75491	0.597	1.46307	623.09817	17.866	0.050	0.130	-
SMC0037	82098	0.757	28.96294	673.11576	17.230	0.655	0.918	-
SMC0038	113853	0.353	1.32070	624.88190	17.319	-0.035	0.057	pm
SMC0038	113885	1.274	2.38320	624.37028	17.122	-0.130	-0.109	pm
SMC0038	114287	0.800	0.60152	623.33710	18.381	-0.008	0.167	pm
SMC0039	103852	0.456	2.59490	627.43922	17.548	-0.085	-0.116	pm
SMC0047	182601	1.075	1.38436	625.28909	15.585	-0.152	-0.130	-
SMC0048	17574	1.180	1.44567	468.87371	18.521	-0.080	-0.056	-
SMC0048	21245	0.674	2.21727	632.99960	17.190	-0.067	-0.081	-
SMC0049	11416	0.731	1.84072	469.75719	13.735	-0.231	-0.230	pm
SMC0049	11486	0.661	1.25288	468.01034	16.009	-0.175	-0.214	pm
SMC0054	95337	0.401	0.90458	467.10020	17.050	-0.105	-0.143	pm
SMC0054	95557	0.580	2.42120	469.22869	17.412	-0.082	-0.085	pm
SMC0054	95581	1.100	0.75725	466.87057	17.948	0.073	0.157	pm
SMC0054	96013	0.995	2.75340	468.04339	18.384	-0.061	0.047	pm
SMC0056	145588	1.268	138.59136	634.71506	15.730	1.056	1.349	-
SMC0057	123484	1.046	4.09589	468.55460	17.136	-0.051	0.028	-
SMC0058	140701	0.896	3.62537	471.12030	15.215	-0.064	-0.054	nm
SMC0058	141743	1.233	1.08615	466.88737	18.645	0.128	0.172	pm
SMC0059	202826	0.425	0.84967	467.37147	18.233	-0.071	-0.032	pm
SMC0060	170658	0.881	0.61595	467.76091	17.357	-0.117	-0.102	pm
SMC0061	185385	0.636	2.58917	468.60764	17.626	-0.076	-0.047	pm
SMC0063	202153	0.874	4.60677	468.15759	14.268	-0.215	-0.150	-
SMC0064	208049	0.986	3.02987	471.97126	16.094	-0.122	-0.102	pm
SMC0066	266513	0.813	1.10752	467.15386	17.985	-0.028	0.069	pm
SMC0067	316708	0.820	7.11698	477.77823	14.337	-0.162	0.014	nm
SMC0068	180064	0.634	2.51534	471.56185	15.952	-0.153	-0.141	pm
SMC0068	180197	0.830	1.39565	468.93846	17.147	-0.126	-0.090	pm
SMC0068	180519	0.796	1.45855	468.27431	18.111	-0.026	0.007	pm
SMC0068	181045	0.563	2.17249	467.96586	18.945	-0.077	0.078	pm
SMC0068	181436	1.274	1.09748	467.30007	18.532	0.105	0.197	pm
SMC0068	260939	1.163	2.30191	468.37916	17.157	-0.074	0.007	pm
SMC0068	261704	1.100	0.51489	467.07221	18.253	-0.003	0.065	pm
SMC0068	262198	1.008	0.93415	468.23077	18.670	-0.088	0.062	pm
SMC0068	263233	0.981	0.59216	467.23901	19.182	0.025	0.156	pm
SMC0069	271332	0.874	2.17910	469.20830	17.093	-0.074	-0.016	pm
SMC0069	271839	1.167	1.18524	466.80629	17.825	-0.074	0.050	pm
SMC0072	17316	0.624	2.32397	469.35747	15.216	-0.021	0.077	pm
SMC0072	17965	0.116	3.35528	468.69439	17.604	-0.071	-0.011	pm
SMC0074	50745	1.178	0.55453	467.32023	18.657	-0.120	0.007	pm

Table 1
Continued

Name OGLE-CL-	star number	D [R_{CL}]	P [days]	JD [2450000+]	I [mag]	$B - V$ [mag]	$V - I$ [mag]	comments
SMC0075	30725	0.239	1.47601	469.19621	18.365	0.014	0.116	pm
SMC0078	42389	0.855	3.59519	469.94571	16.990	-0.092	-0.070	pm
SMC0078	131094	0.603	0.62343	466.71493	18.719	-0.100	-0.143	pm
SMC0079	94796	1.019	0.95196	468.27280	17.925	-0.031	0.007	pm
SMC0081	158178	1.089	2.16926	469.28297	16.538	-0.201	-0.199	pm
SMC0081	158653	1.041	0.83367	468.00147	17.336	-0.086	-0.079	pm
SMC0082	136065	0.752	1.00718	467.27253	18.247	-0.015	-0.012	pm
SMC0085	154456	0.590	0.64416	467.61296	18.935	-0.017	0.045	-
SMC0088	141994	0.983	2.30333	468.73850	17.481	-0.123	0.041	-
SMC0088	142123	0.847	1.08822	466.77418	18.122	-0.077	0.000	-
SMC0088	142746	0.711	1.67802	469.17787	18.756	-0.071	-0.042	pm
SMC0089	163107	0.946	0.58075	467.57887	16.956	-0.119	-0.065	pm
SMC0089	167473	0.707	6.35793	478.55778	15.065	-0.220	-0.140	pm
SMC0089	242498	0.980	3.64020	470.31809	17.675	-0.150	-0.090	pm
SMC0089	246749	0.728	1.64432	468.67642	17.219	-0.085	-0.002	pm
SMC0090	180283	0.963	0.88876	466.90513	16.829	-0.209	-0.087	nm
SMC0091	167623	1.168	1.04318	467.04776	16.654	-0.202	-0.102	-
SMC0092	232226	1.002	1.18793	468.04780	15.276	-0.264	-0.165	pm
SMC0092	232282	0.706	2.55614	467.69596	16.219	-0.127	-0.096	pm
SMC0094	242378	0.926	0.97398	466.82686	17.442	-0.012	0.021	-
SMC0095	180306	0.471	4.59712	471.82987	17.099	-0.087	-0.042	-
SMC0096	242378	0.617	0.97398	466.82686	17.442	-0.012	0.021	-
SMC0096	242404	0.521	3.32876	467.89294	17.957	0.031	0.172	-
SMC0097	296902	0.577	4.04468	469.65193	16.912	-0.164	-0.097	-
SMC0098	9109	0.497	2.47810	631.58654	18.192	-0.144	-0.116	pm
SMC0099	70933	0.484	2.05886	627.48603	17.440	-0.150	-0.082	pm
SMC0099	70971	0.899	2.24680	629.60491	17.341	0.122	-0.123	pm
SMC0102	52810	0.592	0.61413	627.53633	17.648	-0.098	-0.100	nm
SMC0103	91646	0.988	1.42483	628.89832	16.801	-0.136	-0.102	-
SMC0103	91654	0.777	3.07494	628.24188	17.025	-0.088	-0.016	-
SMC0104	110723	0.461	4.71272	632.41390	17.802	0.060	0.228	-
SMC0104	115177	0.928	2.14025	628.77436	16.434	-0.052	-0.145	-
SMC0105	110129	0.385	2.35207	629.19120	16.249	-0.116	-0.082	pm
SMC0107	206212	0.479	5.58638	628.96334	16.821	-0.150	-0.151	pm
SMC0107	206520	0.298	0.93333	628.16198	18.224	-0.152	-0.064	pm
SMC0107	207302	0.563	8.43208	638.90384	18.922	0.607	0.915	pm
SMC0113	87145	0.779	2.06187	627.85368	15.677	-0.116	-0.055	-
SMC0117	139441	0.974	1.48244	626.98531	16.366	-0.118	-0.079	nm
SMC0123	39292	1.048	0.80302	657.71342	17.626	-0.185	-0.066	-
SMC0126	13423	0.706	1.63250	628.75723	16.851	-0.132	-0.103	pm
SMC0126	14011	0.400	3.16417	630.94891	18.378	0.017	0.081	pm
SMC0127	42184	1.089	1.08486	628.58889	18.365	-0.172	-0.094	-
SMC0127	87367	0.977	1.04951	628.58483	18.816	-0.156	-0.045	-
SMC0128	79005	0.961	0.99627	628.05609	17.888	-0.078	-0.069	pm
SMC0130	89448	0.754	5.74206	637.20271	17.238	-0.192	-0.176	-
SMC0134	169330	0.938	0.53735	628.04710	18.876	-0.065	0.018	pm
SMC0135	147421	0.910	0.45477	628.52801	18.887	-0.077	0.132	-
SMC0136	19778	0.328	0.90602	657.09768	17.841	9.999	-0.097	-
SMC0141	52356	0.847	1.14518	629.35668	18.032	-0.075	-0.025	pm
SMC0142	70555	0.781	1.51265	630.12421	17.746	-0.147	-0.062	pm
SMC0144	31290	1.226	1.51766	628.64208	16.466	-0.177	-0.144	pm
SMC0145	110466	0.543	0.67506	628.31409	16.624	-0.105	-0.059	pm




Fig. 1. Distribution of periods of 73 eclipsing stars regarded as probable members of the SMC clusters.




Fig. 2. Distribution of periods of 1332 eclipsing stars from the field of the SMC.

Table 1
Concluded

Name OGLE-CL-	star number	D [R_{CL}]	P [days]	JD [2450000+]	I [mag]	$B - V$ [mag]	$V - I$ [mag]	comments
SMC0145	110567	0.625	1.16732	629.60675	17.398	-0.009	0.027	pm
SMC0145	110574	1.085	0.69045	628.64620	18.143	-0.108	-0.068	pm
SMC0147	110466	0.391	0.67506	628.31409	16.624	-0.105	-0.059	pm
SMC0156	42477	0.876	1.14013	625.95929	17.625	-0.124	-0.019	pm
SMC0158	58186	0.577	10.51155	640.20423	18.350	0.089	0.148	nm
SMC0158	89239	0.664	5.16689	626.61741	17.166	-0.095	-0.054	nm
SMC0158	89956	0.682	1.30050	626.09550	18.290	-0.042	0.021	nm
SMC0159	38611	1.075	2.16874	629.61251	17.698	-0.089	0.004	nm
SMC0159	68552	0.826	0.90927	627.53293	18.482	-0.104	0.033	nm
SMC0161	95492	1.091	3.59535	632.62143	17.935	0.036	0.016	-
SMC0194	16658	0.965	1.24619	468.55853	17.414	-0.148	-0.100	pm
SMC0195	27518	0.824	0.57604	467.02297	18.563	-0.006	-0.005	pm
SMC0195	106240	0.300	0.73385	467.41721	18.104	0.047	0.051	pm
SMC0201	171289	0.809	16.84515	470.37832	18.197	0.500	0.797	pm
SMC0206	24274	0.867	1.94059	469.03518	18.184	-0.019	0.065	-
SMC0209	154048	0.355	11.52736	468.41539	18.769	0.246	0.430	-
SMC0216	222388	1.119	6.61099	468.62792	18.627	0.027	0.162	-
SMC0216	297080	0.219	8.82380	469.72748	17.536	-0.057	0.048	-
SMC0226	38858	0.524	1.55266	629.72831	16.335	-0.093	-0.089	-
SMC0234	163639	0.393	0.68523	629.17323	16.545	-0.184	-0.124	pm
NGC 346	160677	-	86.42187	658.097	14.262	0.054	0.154	-
NGC 346	160725	-	3.10487	635.440	15.857	-	-0.110	-
NGC 346	160975	-	0.65143	629.968	17.927	-0.057	-0.019	-

processes of formation and disruption of eclipsing systems in the field and star cluster regions.

Table 1 and all photometric data can be obtained from the OGLE archive: <http://www.astrouw.edu.pl/~ftp/ogle>.

Acknowledgements. The paper was partly supported by the Polish KBN grant 2P03D00814 to A. Udalski. Partial support for the OGLE project was provided with the NSF grant AST-9530478 to B. Paczyński.

REFERENCES

- Andersen, J. 1991, *Astron. Astrophys. Rev.*, **3**, 91.
Gimenez, A., and Clausen, J.V. 1996, *ASP Conference Ser.*, **90**, 44.
Hodge, P.W., and Wright, F.W. 1975, *Astron. J.*, **80**, 510.

- Pietrzyński, G., Udalski, A., Szymański, M., Kubiak, M., Woźniak, P., and Żebruń, K. 1998, *Acta Astron.*, **48**, 175.
- Sebo, K.M., and Wood, P.R. 1994, *Astron. J.*, **108**, 932.
- Udalski, A., Kubiak, M., and Szymański, M. 1997, *Acta Astron.*, **47**, 319.
- Udalski, A., Szymański, M., Kubiak, M., Pietrzyński, G., Woźniak, P., and Żebruń, K. 1998a, *Acta Astron.*, **48**, 147.
- Udalski, A., Soszyński, I., Szymański, M., Kubiak, M., Pietrzyński, G., Woźniak, P., and Żebruń, K. 1998b, *Acta Astron.*, **48**, 563.